

**Pavers by Ideal™** **Stones with Style™**

Traditional Pavers		W	L	H	PCS/SF	PCS/SECT	SF/SECT	PCS/CU	SF/CU	WT/CU
<b>Andover Collection™</b> Smooth and StoneCleft <sup>1</sup>		5.5"	11"	7 cm	3.8 sf/set	2/set	2 sets/layer	20 sets/cube	76	2425 lb SM 2370 lb SC
		11"	11"	7 cm		2/set				
		11"	16.5"	7 cm		1/set				
<b>Andover GrandStone™</b> Smooth and StoneCleft		16.5"	22"	7 cm	2.52 sf/pc	---	---	40	100.8	3235 lb SM 3100 lb SC
<b>Andover 5511™</b> Smooth and StoneCleft		5.5"	11"	7 cm	2.38	---	---	240	100.84	3100 lb
<b>Boston Colonial Pavers®</b>		4"	8"	6 cm	4.5	81	18	486	108	2945 lb
		4"	8"	8 cm	4.5	63	14	378	84	3095 lb
<b>BrookStone™<sup>2</sup></b>		---	---	7 cm	Approx. 5.5	---	12 sf/layer	7 layers	84	1860 lb
<b>Classico Retro™</b>		4.5"	6.5"	6 cm	4.63	72	15.6	432	93.3	2570 lb
<b>FineLine™</b>	Square	6.3"	6.3"	6 cm	3.62	54	14.9	378	104.42	2850 lb
	Grand Square	9.4"	9.4"	6 cm	1.61	36	22.4	180	111.8	3050 lb
	Lg. Rectangle	6.3"	9.4"	6 cm	2.42	54	22.3	270	111.57	3045 lb
<b>Plaza Pavers™</b>	8 x 8	8"	8"	6 cm	2.25	36	16	216	96	2625 lb
	12 x 12	12"	12"	6 cm	1	27	27	108	108	2945 lb
	12 x 12	12"	12"	8 cm	1	21	21	84	84	3095 lb
<b>Portsmouth Cobble™<sup>2</sup></b>		5.5"	5.5"	7 cm	---	6 ea/layer (24 pcs/layer)	6.5 sf/layer	10 layers (240pcs)	65	2673 lb
		5.5"	6.65"	7 cm						
		5.5"	7.64"	7 cm						
		5.5"	8.8"	7 cm						
<b>Slate-Top Slab™</b>		18"	18"	2.25"	2.25 sf/pc	---	---	48	108	2680 lb
<b>StraightLine™</b>		4.3"	17.2"	10 cm	1.96	---	---	132	67.35	3070 lb
<b>Symetry®</b>	Master Stone	4.4"	11"	6 cm	3	63	21	252	84	2300 lb
	Square	6.3"	6.3"	6 cm	3.62	54	14.9	378	104.42	2850 lb
<b>Uni-Anchorlock™<sup>2</sup></b>		8.9"	8.9"	8 cm	2.41	---	11.02 sf/layer	186	77.2	2850 lb
<b>Uni-Decor®</b>	Full Stones	5.5"	9"	6 cm	3.5	72	20.6	360	102.86	2810 lb
		5.5"	9"	8 cm	3.5	56	16	280	80	2950 lb
<b>Yankee Cobble™</b>	Square	6.3"	6.3"	6 cm	3.62	54	14.9	378	104.42	2850 lb
	Grand Square	9.4"	9.4"	6 cm	1.61	36	22.4	180	111.8	3050 lb
	Lg. Rectangle	6.3"	9.4"	6 cm	2.42	54	22.3	270	111.57	3045 lb
	Med. Rectangle	4.8"	6.3"	6 cm	4.84	63	13	441	91.12	2525 lb
	Sm. Rectangle	3.1"	6.3"	6 cm	7.24	99	13.7	693	95.72	2640 lb
<b>Circle Pak<sup>3</sup></b>	Sm. Rectangle	3.1"	6.3"	6 cm	---	1/layer	---	6	64.32	1785 lb
	Med. Rectangle	4.8"	6.3"		---	20/layer	---	120		
	Sm. Wedge	---	---		---	29/layer	---	174		
	Lg. Wedge	---	---		---	3/layer	---	18		
	Center Stone	---	---		---	1/layer	---	6		
<b>Z-Stone™</b>		4.5"	9"	8 cm	3.62	56	15.5	280	77.35	2855 lb
Drum-Roll Tumbled™ Pavers		W	L	H	PCS/SF	PCS/SECT	SF/SECT	PCS/CU	SF/CU	WT/CU
<b>Georgetown Colonial Pavers™</b>		4"	8"	6 cm	4.5	81	18	486	108	2875 lb
<b>MillStone™</b>	Square	6.3"	6.3"	6 cm	3.62	54	14.9	378	104.42	2850 lb
	Grand Square	9.4"	9.4"	6 cm	1.61	36	22.4	180	111.8	3050 lb
	Lg. Rectangle	6.3"	9.4"	6 cm	2.42	54	22.3	270	111.57	3045 lb
	Med. Rectangle	4.8"	6.3"	6 cm	4.84	63	13	441	91.12	2525 lb
	Sm. Rectangle	3.1"	6.3"	6 cm	7.24	99	13.7	693	95.72	2640 lb
<b>Circle Pak<sup>3,4</sup></b>	Sm. Rectangle	3.1"	6.3"	6 cm	---	Bulk Crated	---	6	64.32	1785 lb
	Med. Rectangle	4.8"	6.3"		---		120			
	Sm. Wedge	---	---		---		174			
	Lg. Wedge	---	---		---		18			
	Center Stone	---	---		---		6			
<b>Newport Cobble™</b>		4.5"	6.5"	6 cm	4.63	72	15.6	432	93.3	2570 lb
<b>Town N' Country™</b>	Square	6.3"	6.3"	6 cm	3.62	54	14.9	378	104.42	2850 lb
	Grand Square	9.4"	9.4"	6 cm	1.61	36	22.4	180	111.8	3050 lb
	Lg. Rectangle	6.3"	9.4"	6 cm	2.42	54	22.3	270	111.57	3045 lb

Approximate weights: 6 cm - 27 lb/sf • 7 cm - 32 lb/sf • 8 cm - 36.5 lb/sf • 10 cm - 45 lbs/sf

- Weight per cube is approximate and includes the pallet
- 1: Andover Collection is sold by the set
- 2: BrookStone, Portsmouth Cobble, and Uni-Anchorlock are sold by the layer
- 3: Yankee Cobble and MillStone Circle Paks are sold by the pallet
- 4: MillStone Circle Pak is bulk crated

Andover Collection, GrandStone, 5511's, Portsmouth Cobble and StraightLine are ONLY available with:



**Pavers by Ideal™**

**Stones with Style™ Continued**

Permeable Pavers		W	L	H	PCS/SF	PCS/SECT	SF/SECT	PCS/CU	SF/CU	WT/CU
Aqua-Bric®		4"	8"	6 cm	4.5	81	18	486	108	2750 lb
Aqua-Bric® 8**		4.5"	9"	8 cm	3.55	---	11.25 sf/layer	7 layers	78.75	2700 lb
Turfstone™	65 lb/pc	24"	16"	8 cm	2.6 sf/pc	14	36.4	56	145.6	3480 lb
	76 lb/pc	24"	16"	10 cm	2.6 sf/pc	---	---	40	104	2910 lb
Uni Eco-Stone®		4.5"	9"	8 cm	3.55	56	15.8	280	78.87	2820 lb
Andover Collection™ & 5511™ - All Styles		See first page								

\*\* Aqua-Bric 8 is sold by the layer.

**Pavers by Ideal™**

**Walls with Style™**

Name		H	W	D	PCS/SF	WT/PC	PCS/CU	SF/CU	WT/CU	
Ancestral™ WallStone	3" high set	3"	16/14"	10"	.83 sf/set 1.2 sets/sf	95/set	30 sets/cu	25	2900 lb	
		3"	14/12"	10"						
		3"	12/10"	10"						
	6" high set	6"	16/14"	10"	1.66 sf/set .6 sets/sf	150/set	15 sets/cu	25	2250 lb	
		6"	14/12"	10"						
		6"	12/10"	10"						
Fat Face™		Standard Unit	8"	18"	11.25"	1	80	45	45	3600 lb
Fat Face™ - 2/3 Scored		2 Scored /1 Standard	8"	18"	11.25"	3sf/3pc set	80	15 sets/cu	45	3600 lb
GravityStone®	Split-Face Unit	8"	18"	6"	1	59	64	64	3800 lb	
	Tumbled-Face Unit	8"	18"	6"	1	56	64	64	3600 lb	
	Trunk Unit	8"	24"	4"	---	55	64	---	3550 lb	
	Anchor/Junction Unit	8"	12"	5"	---	30	96	---	2915 lb	
	Corner Unit (Reversible)	8"	15"	6"	---	52	60	---	3150 lb	
Olde Boston™ Wall		4"	12"	8"	3.1	28	108	34.8	3060 lb	
Pisa 2°	Stretcher	6"	8"	12"	3	43	80	26.7	3450 lb	
	Stretcher Cap Tapered	6"	8"	12"	1.5/lf (3/sf)	43	80	53.3 lf / 26.7sf	3450 lb	
	Half Unit	6"	4"	12"	6	22.5	120	20	2700 lb	
	Corners - Right & Left	6"	8"	12"	---	33	80	---	2675 lb	
Roman Pisa®	Stretcher	6"	8"	12"	3	42	80	26.7	3350 lb	
	Stretcher Cap Tapered	6"	8"	12"	1.5/lf (3/sf)	42	80	53.3 lf / 26.7sf	3350 lb	
	Half Unit	6"	4"	12"	6	22	120	20	2650 lb	
	Corner Unit (Reversible)	6"	8"	12"	---	32	80	---	2595 lb	
	Jumbo Unit	6"	12"	8"	2	32	80	40	2595 lb	
Stonewall™	Curved-Face Stretcher	8"	12"	12"	1.5	50	75	50	4100 lb	
	Straight-Face Stretcher	8"	12"	12"	1.5	54	75	50	4100 lb	
	Corner Unit (Reversible)	8"	6"	12"	---	37	72	---	2700 lb	
	Tumbled Straight-Face Stretcher	8"	12"	12"	1.5	54	75	50	4100 lb	
	Tumbled Corner Unit (Reversible)	8"	6"	12"	---	37	72	---	2700 lb	

**Pavers by Ideal™**

**Coping with Style™**

Name		H	W	D	LF/PC	WT/PC	PCS/CU	LF/CU	WT/CU
Ancestral™ Coping	Paired set	3.63"	16/13"	13"	2.16 lf/pr	98.5/set	36 pairs	77.8 lf/23.6 sf	3590 lb
		3.63"	13/10"	13"					
BullNose Coping™		6 cm	4"	12"	3 pcs/lf	9	156	52	1410 lb
Roman Pisa® Coping		3.63"	16"	13"	1.33	61	63	84	3910 lb
Universal Coping Stone		3.63"	16"	13"	1.33	61	63	84	3910 lb
CastStone™ RockFace Coping	3"	48"	24"	4	4	300	6	24	1800 lb
	3"	24"	14"	2	2	95	24	48	2330 lb

• All product sizes are modular based on mold manufacturers' dimensions. Metric sizes have been soft converted to U.S. measurements.

• Square foot coverage of pavers includes allowance for joint sand or stone.

**Please contact our Sales Office or your Authorized Dealer for Availability, Pricing, Set-up Charges, Terms and Conditions, and Product Specifications.**

**Product offerings may change during the year. Please visit [www.PaversbyIdeal.com](http://www.PaversbyIdeal.com) for the most up-to-date Color and Product Packaging Directory information.**

• Boston Colonial Pavers, Georgetown Colonial Pavers, Yankee Cobble, MillStone, Fineline, Town N' Country, Newport Cobble, Andover Collection, Andover 5511, StraightLine Plank, BrookStone, Classico Retro, ScapeStone, Portsmouth Cobble, Olde Boston, Ancestral WallStone and Coping, CastStone, Slate-Top Slab, CurbStone Edging and Chelmsford Step are trademarks of Ideal Concrete Block Co.

• Ideal is contracted to produce a number of products under exclusive license agreements: Uni-Deco, Uni-Anchorlock, Eco-Stone, are registered trademarks of F. von Langsdorff Lic. Ltd.

• Symetry is a registered trademark of Symrah Licensing, Inc. • Pisa2 and Roman Pisa are registered trademarks of Risi Stone Systems

• Stonewall, GravityStone, Fat Face and Fat Face 2/3 Scored are registered trademarks of Westblock Products, Inc. • Pave-Edge is a registered trademark of Pave Tech, Inc. • Snap-Edge is a trademark of SEK-Surebond

• Aqua-Bric is a registered trademark of Advanced Pavement Technology, Inc.

## Pavers by Ideal™

## Steps with Style™

Name	STYLE	RISE	SIZE	WT/PC	PCS	WT/PALLET
Chelmsford™ Step	---	7"	48"l x 15"d	475	8	3800 lb
Rockport™ Step Collection	Step A	7"	42"l x 18"d	350	8	2800 lb
	Step C	7"	48"l x 18"d	510	8	4096 lb
	Step D	7"	54"l x 24"d	565	8	4520 lb
	Step F	7"	60"l x 18"d	600	8	4800 lb
	Rockport™ Pathway Stones*	RPS A	2 3/4"	25 3/4"l x 18 1/8"d	97	5 Sets (5 ea)
RPS B		2 3/4"	34"l x 21 7/8"d	137		
RPS C		2 3/4"	30 3/4"l x 22 1/4"d	120		

\* Rockport Pathway Stones are sold as a set consisting of all 3 sizes.

## Pavers by Ideal™

## Garden Products & Outdoor Living

Garden Products/Precast	H	W	D	COVERAGE	WT/PC	PCS/CU	SF/CU	WT/CU
CurbStone™ Edging	8"	12"	4"	1/lf	25	90	90 lf	2280 lb
Chelmsford™ Pillar Cap (Crowned*)	3" (+2"*)	24"	24"	---	160	8	---	1305 lb
Carlisle™ Pillar Cap	3"	24"	24"	---	148	10	---	1515 lb
CastStone™ Octo Top	3"	42" dia.		---	318	1	---	353 lb
CastStone™ Square Top	2.375"	36"	36"	---	234	1	---	269 lb
CastStone™ Foot Rest	2.25"	28.5"	28.5"	---	121	1	---	156 lb
CastStone™ Splash Block	---	11"	24"	---	42	42	---	1925 lb
Fire Pits & Accessories	H	W	D	COVERAGE	WT/PC	PCS/CU	ROWS/CU	WT/CU
ScapeStone™ FP Block	4"	12"	6"	11/course	20	110	10 rows	2235 lb
ScapeStone™ XL Block	4"	12 3/8"	6 1/4"	14/course	22	126	10 rows	2850 lb
Ring-n-Grate	8"	---	30"	Grates 500 sq in.	67	---	---	---
Round Ring without Grate	FP	8"	---	30"	---	34	---	---
	XL	8"	---	44"	---	50	---	---
Square Ring without Grate	8"	28"	28"	---	35	---	---	---
CastStone™ Square Fire Pit Coping	3"	10"	38.5"l	4 pcs/set	94	12	3 sets/cu	1155 lb
CastStone™ Round Fire Pit Coping	FP	3"	7"	44.5" o.d.	3 pcs/set	55	2 sets/cu	375 lb
	XL	3"	7 1/2"	60" o.d.	4 pcs/set	80	2 sets/cu	695 lb

The CastStone™ Round and Square Fire Pit Coping, RockFace Wall Coping, Slate-Top Slab, Octo & Square Tops, Counter and Foot Rest should be handled with care during transport and assembly.

Adequate manpower is required to lift and set in place.

## Pavers by Ideal™

## Concrete Masonry Units

Concrete Block & Brick	D	H	W	PCS/SF	WT/PC	PCS/CU	SF/CU	WT/CU
4" x 8" x 16" Cored	3 5/8"	7 5/8"	15 5/8"	1.125	24	120	106.67	2884 lb
4" x 8" x 16" Solid	3 5/8"	7 5/8"	15 5/8"	1.125	33	120	106.67	3970 lb
6" x 8" x 16" Cored	5 5/8"	7 5/8"	15 5/8"	1.125	28	96	85.33	2688 lb
6" x 8" x 16" Solid	5 5/8"	7 5/8"	15 5/8"	1.125	53	72	64	3816 lb
8" x 8" x 16" Cored	7 5/8"	7 5/8"	15 5/8"	1.125	38	72	64	2761 lb
8" x 8" x 8" Half Cored	7 5/8"	7 5/8"	7 5/8"	2.25	23	120	53.33	2760 lb
8" x 8" x 16" Solid	7 5/8"	7 5/8"	15 5/8"	1.125	71	48	42.67	3408 lb
10" x 8" x 16" Cored	9 5/8"	7 5/8"	15 5/8"	1.125	46	48	42.67	2190 lb
12" x 8" x 16" Cored	11 5/8"	7 5/8"	15 5/8"	1.125	55	48	42.67	2640 lb
12" x 8" x 8" Half Cored	11 5/8"	7 5/8"	7 5/8"	2.25	32	88	39.11	2816 lb
1 5/8" x 8" x 16" Patio Block	7 5/8"	1 5/8"	15 5/8"	---	16	240	---	3800 lb
4" x 8" Ideal Natural Brick	3 5/8"	2 1/4"	7 5/8"	7 (laid vertically)	5	540	77.14	2727 lb
Catch Basin Block	D	H	PCS/ROW	I.D./ROW	O.D./ROW	WT/PC	PCS/CU	WT/CU
4" Bottom Plates	---	3 5/8"	10	---	64"	87.5	48	4200 lb
8" x 6" Barrel Block	7 7/8"	5 5/8"	12	48"	64"	50	72	3600 lb
8" x 6" #1 Arch Block	7 7/8"	5 5/8"	12	42.5"	58.5"	57.5	75	4320 lb
8" x 6" #2 Arch Block	7 7/8"	5 5/8"	12	37"	53"	52	75	3900 lb
8" x 6" #3 Arch Block	7 7/8"	5 5/8"	12	31.5"	47.5"	46.5	75	3500 lb
8" x 6" #4 Round Ring Row*	7 7/8"	5 5/8"	9/set	26"	42"	458/set	8 sets	3670 lb
8" x 6" Square Ring Row*	7 7/8"	5 5/8"	8/set	26" x 26"	~26" Round	468/set	6 sets	2808 lb

\*8" x 6" #4 Round Ring Row and Square Ring Row are sold by the set (row) only.

All concrete masonry units are produced in a "natural" concrete color.

Pavers		GB	BHB	AB	HB	QB	VB	CR	C	P	CB	OG	RIB
Andover Collection™ Smooth	7 cm									◆	◆	◆	◆
Andover Collection™ StoneCleft	7 cm										◆	◆	◆
Andover™ GrandStone Smooth	7 cm									◆	◆	◆	◆
Andover™ GrandStone StoneCleft	7 cm										◆	◆	◆
Andover 5511™ StoneCleft	7 cm								◆	◆	◆	◆	◆
Andover 5511™ Smooth	7 cm								◆	◆	◆	◆	◆
Aqua-Bric®	6 cm	◆	◆			◆	◆						
Aqua-Bric® 8	8 cm												
Boston Colonial Pavers®	6 cm	◆	◆	◆	◆	◆	◆	◆		◆			
	8 cm		◆				◆						
BrookStone™	7 cm	◆				◆	◆			◆			
Classico Retro™	6 cm	◆								◆			
FineLine™	All styles		◆			◆	◆						
Georgetown Colonial Pavers™	6 cm		◆			◆	◆						
MillStone™	All styles		◆			◆	◆						
Newport Cobble™	Rectangle					◆	◆						
Plaza Pavers™	All styles		◆										
Portsmouth Cobble™	7 cm								◆	◆	◆	◆	
Slate-Top Slab™	2.25"									◆	◆	◆	◆
StraightLine™	10 cm								◆	◆		◆	
Symetry®	Master Stone	6 cm		◆									
	Square	6 cm		◆		◆							
Town N' Country™	All styles	6 cm		◆		◆	◆						
Turfstone™	8 cm									◆			
	10 cm												
Uni-Decor®	6 cm		◆										
Uni Eco-Stone®	8 cm												
Yankee Cobble™	All styles	6 cm	Sq & Lg R ◆	◆		◆	◆						
Z-Stone™, Uni-Anchordock®, & Uni-Decor®	8 cm												
Walls & Coping		BHB	C	P	GB	GG	VB	QB	RWB	Slate Grey			
Ancestral™ WallStone							◆	◆					
Fat Face™ Standard						◆	◆	◆					
Fat Face™ - 2/3 Scored						◆	◆	◆					
GravityStone® Split Face						◆	◆	◆					
GravityStone® Tumbled Face													
Olde Boston™ Wall			◆	◆			◆	◆	◆				
Pisa 2'						◆	◆						
Roman Pisa®							◆	◆	◆				
Stonewall™ & Stonewall® Straight Face						Curved/Straight Face	Curved/Straight Face	Straight Face					
Stonewall™ Tumbled							◆	◆					
Ancestral™ Coping							◆	◆					
BullNose Coping™		◆		◆			◆	◆					
Roman Pisa® Coping							◆	◆	◆				
Universal Coping Stone					◆	◆	◆	◆					
CastStone™ Rockface Coping					◆					◆			
Garden Products/Outdoor Living		VB	QB	RWB	GB	Slate Grey							
CurbStone Edging		◆	◆										
ScapeStone™ Fire Pit Block	FP	◆	◆										
	XL	◆	◆										
Chelmsford™ Pillar Caps						◆							
Carlisle™ Pillar Caps					◆	◆							
CastStone Round & Square Fire Pit Coping					Square	◆							
CastStone Patio/Pub Table Square or Octo Top						◆							
Steps		Slate Grey			Fieldstone Blend								
Chelmsford™ Step			◆										
Rockport™ Step						◆							
Rockport™ Pathway Stones						◆							

Manufactured Colors

**GB** = Graphite Black    **BHB** = Beacon Hill Blend    **AB** = Autumn Blend    **HB** = Harvest Blend    **QB** = Quarry Blend    **VB** = Vineyard Blend    **CR** = Clay Red  
**C** = Charcoal    **P** = Pewter    **CB** = Chatham Blend    **OG** = Oxford Grey    **RIB** = Richfield Blend    **GG** = Granite Gray    **RWB** = Rosewood Blend  
 ◆ Product is regularly produced in these colors    □ Product is available on a Made to Order basis. Call for lead time.    □ Product is not available in these colors.

Check with our Sales Office for additional pricing information for products offered on a Made to Order basis or in a Special Color.

**Inter-Blend Colors:** Inter-Blend Colors are created by mixing our standard colors together at the jobsite.

Adams Blend 2 BHB: 1 CR • Berkley Blend 5 BHB: 1 QB • Charles River Blend 2 CR: 1 AB • City Blend 4 CR: 3 BHB  
 Copley Blend 7 CR: 3 BHB • Exeter Blend 2 AB: 1 BHB • Gloucester Blend 1 VB: 1 QB • Lexington Blend 3 CR: 2 AB

Andover Collection, GrandStone, 5511's, Portsmouth Cobble and StraightLine are ONLY available with:



Waltham and Westford, MA • 781-894-3200  
 info@IdealConcreteBlock.com • PaversbyIdeal.com