IDEAL BLOCK




Yankee Cobble[™] ■ MillStone[™]




Yankee Cobble™ and MillStone™ Patterns

Running Bond ■ Basket Weave ■ Herringbone Patterns




Pattern 1

100 sf Squares




Pattern 4

40 sf Squares • 60 sf Lg. Rectangles




Pattern 20

25 sf Squares • 75 sf Lg. Rectangles




Pattern 24

40 sf Squares • 60 sf Lg. Rectangles




Pattern 2

100 sf Lg. Rectangles




Pattern 5

13 sf Squares • 87 sf Lg. Rectangles




Pattern 21

40 sf Squares • 60 sf Lg. Rectangles




Pattern 3

100 sf Lg. Rectangles



Pattern 6

27.5 sf Squares • 72.5 sf Lg. Rectangles



Pattern 23

50 sf Squares • 50 sf Lg. Rectangles

Our **Yankee Cobble and MillStone Pavers** create engaging patterns and designs that no other paving material can match! Choose from an array of running bonds, elegant basket weaves, or herringbones ranging from simple to detailed combinations that reflect the individuality of the installer.

See our **Pattern Chart** for guidance in selecting patterns. Any of the patterns are suitable for walkways, patios, and pool decks. While running bonds and basket weaves may be used for residential driveways, the herringbone patterns provide the greatest degree of interlock. Stack bond patterns should only be utilized for applications limited to pedestrian traffic.

Starting Patterns – Placing stones in a pattern is like painting by numbers. Most patterns are comprised of just a small combination of stones that are repeated throughout. Once you get started, simply follow the laying order. The order of stones will help establish a sense and rhythm to whatever pattern you choose. Be sure to always start at a 90° corner or along a straight edge, even when the pavement curves, and remember to pull string lines as you progress to keep the pattern from going astray!

Border Courses




• 1.9 pcs/lf • 100 lf = 52.5 sf



Large Rectangle Soldier Course
• 1.9 pcs/lf
• 100 lf = 78.5 sf




Large Rectangle Sailor Course
• 1.28 pcs/lf
• 100 lf = 52.5 sf




Square & Large Rectangle Combination Soldier Course • Sq. 1.9 pcs/lf/Rec. 1.9 pcs/lf • 100 lf Combo = 131 sf

Yankee Cobble™ Grand Square Patterns




GS Pattern 1

69 sf Grand Squares 31 sf Squares




GS Pattern 4

19 sf Grand Squares • 17 sf Squares 64 sf Lg. Rectangles




GS Pattern 10

41 sf Grand Squares 41 sf Lg. Rectangles • 18 sf Squares




GS Pattern 13

31 sf Grand Squares • 28 sf Squares 41 sf Lg. Rectangles




GS Pattern 2

47 sf Grand Squares • 21 sf Squares 32 sf Lg. Rectangles




GS Pattern 8

16 sf Grand Squares 84 sf Lg. Rectangles




GS Pattern 11

100 sf Grand Squares




GS Pattern 3

26 sf Grand Squares • 23 sf Squares 51 sf Lg. Rectangles



GS Pattern 9

43 sf Grand Squares 57 sf Lg. Rectangles



GS Pattern 12

60 sf Grand Squares 40 sf Lg. Rectangles

Product Information

STYLE/SHAPE	PRODUCT	SIZE	PCS/SF	SF/SECT	SF/CUBE	
Grand Square	Yankee Cobble	9.4" x 9.4"	1.61	22.4	111.8	
Lg. Rectangle	Yankee Cobble MillStone	6.3" x 9.4"	2.42	22.3	111.57	
Square	Yankee Cobble MillStone	6.3" x 6.3"	3.62	14.9	104.42	

New Circle Pak - Yankee Cobble™

Start circles in the center and work your way out. Refer to the chart for the sequence in which the shapes are placed. Expand the circle one row at a time placing the stones hand-tight and joints offset from the previous row. Please note that all the joints may not be staggered from row to row. When including circles in a pavement, you will want to deduct the area of the circle from the overall square footage of the pavement.


1st Circle Pak = 97.2 sf 1st and 2nd Circle Pak = 212.2 sf

- Area of a circle = dia² x .7854 (Ex. 8' dia. = 64 x .7854)
- Area of a circle = rad² x 3.14 (Ex. 4' rad. = 16 x 3.14)
- Circumference of a circle = diameter x 3.1416
- Diameter of a circle = circumference x .3183

LEGEND	
CS - Center Stone	MR - Medium Rectangle
LW - Large Wedge	SR - Small Rectangle
SW- Small Wedge	SQ - Square

Row	Diameter	CS	LW	SW	MR	SR	SQ	Packages
Center	6 ¹ / ₄ "	2						1st Circle Pak
1	19 1/4"		8					
2	313/4"		8		8			
3	44 1/2"			26				
4	57 ¹ / ₂ "			34				
5	70 ¹ / ₄ "			21	21			
6	83"			26	24	2		
7	95³/4"			30	30			
8	108 ¹ / ₂ "			34	33	1		
9	120 3/4"			38	38			
10	133 1/2"			42	42			
Total 1st Pak		2	16	251	196	3		
11	146 ¹/4"			46	45	2		
12	159"			50	50			2nd
13	171 3/4"			54	53	2		Circle
14	184 ¹/2"			59	51	9		Pak
15	197 1/4"			37		1	65 ²	
Used fron	n 2nd Pak			246	199¹	14	65 ²	
Total		2	16	497	395	17	65 ²	

- 1: Need to use the last medium rectangle from the first circle pak.
- 2: Sqaures sold separately



Use remaining Medium Rectangle and then Square Stones to expand the circle beyond the 15 rows shown in chart. For additional rows, use Square Stones to enlarge the diameter in increments by approximately $12^{3}/4$ ".

©1997-2023 Yankee Cobble™ and MillStone™ are trademarks of Ideal Concrete Block Co.

45-55 Power Road, Westford, MA 01886 232 Lexington Street, Waltham, MA 02452 www.ldealBlock.com

B DEAL PAVERS | WALLS | ELEMENTS