

Pavers by Ideal® - Color 4D

PAVER	W	L	H	PCS/SF	PCS/SECT	SF/SECT	PCS/CU	SF/CU	WT/CU	
Andover Collection™ Smooth¹ & StoneCleft^{1,4}	5.5"	11"	7cm	2/set	3.8sf/set	3 sets/ layer	27 sets/ cube	102.6	3200 lb SM 3100 lb SC	
	11"	11"	7cm	2/set						
	11"	16.5"	7cm	1/set						
Andover Collection™ GrandStone Smooth⁴	16.5"	22"	7cm	2.52 sf/pc	---	---	40	100.8	3275 lb	
Andover 5511™ Smooth & StoneCleft^{1,4}	5.5"	11"	7cm	2.38	---	---	240	100.84	3175 lb SM 3075 lb SC	
Portsmouth Cobble™^{2,4}	5.5"	5.5"	7cm	1.09 sf/set of four	6 sets of four sizes per layer	6.5 sf/ layer	10 layers	65	1850 lb	
	5.5"	6.65"	7cm							
	5.5"	7.64"	7cm							
	5.5"	8.8"	7cm							
Windsor Slab™	Lg. Rec.	16.5"	33"	7cm	.26 pcs/sf 3.78 sf/pc	---	---	27	102.06	
	Square	16.5"	16.5"	7cm	.53 pcs/sf 1.89 sf/pc	---	---	54	102.06	3175 lb
	Sm. Rec.	8.25"	16.5"	7cm	1.06 pcs/sf .95 sf/pc	---	---	108	102.60	3225 lb

Pavers by Ideal® - Traditional Pavers

PAVER	W	L	H	PCS/SF	PCS/SECT	SF/SECT	PCS/CU	SF/CU	WT/CU		
Boston Colonial Pavers®	4"	8"	6cm	4.5	81	18	486	108	2875 lb		
	4"	8"	8cm ⁵	4.5	63	14	378	84	3100 lb		
BrookStone™^{2,4}	Varies	Varies	7cm	11 shapes & sizes	---	12 sf/ layer	7 layers	84	1950 lb		
Town N' Country™ Square (Non - Tumbled)	6.3"	6.3"	6cm	3.62	54	14.9	378	104.42	2725 lb		
Yankee Cobble™	Square	6.3"	6.3"	6cm	3.62	54	14.9	378	104.42	2875 lb	
	Lg. Rec.	6.3"	9.4"	6cm	2.42	54	22.3	270	111.57	3150 lb	
	Grand Sq.	9.4"	9.4"	6cm	1.61	36	22.4	180	111.8	3050 lb	
Circle Pak³ [11' Diameter]	Sm. Rec.	3.1"	6.3"	6cm	---	1/layer	---	9	97.21	2700 lb	
	Med. Rec.	4.8"	6.3"		---	22/layer	---	198			
	Sm. Wedge	---	---		---	28/layer	---	252			
	Lg. Wedge	---	---		---	2/layer	---	18			
	Center Stone	---	---		---	1/layer	---	9			





Pavers by Ideal® - Drum-Roll Tumbled™ Pavers

PAVER	W	L	H	PCS/SF	PCS/SECT	SF/SECT	PCS/CU	SF/CU	WT/CU		
MillStone™	Square	6.3"	6.3"	6cm	3.62	54	14.9	378	104.42	2775 lb	
	Lg. Rec.	6.3"	9.4"	6cm	2.42	54	22.3	270	111.57	3050 lb	
Georgetown Colonial™	4"	8"	6cm	4.5	81	18	486	108	2875 lb		





Pavers by Ideal® - Permeable Pavers

PAVER	W	L	H	PCS/SF	PCS/SECT	SF/SECT	PCS/CU	SF/CU	WT/CU		
Aqua-Bric®	4"	8"	6cm	4.5	81	18	486	108	2675 lb		
Aqua-Bric® 8^{2,5}	4.5"	9"	8cm	3.55	---	11.25 sf/ layer	7 layers	78.75	2775 lb		
Turfstone™	65 lb/pc	24"	16"	8cm	2.6 sf/pc	14	36.4	56	145.6	3550 lb	




Pavers by Ideal® - Retaining & Garden Walls

WALLSTONE		H	W	D	PCS/SF	WT/PC	PCS/CU	SF/CU	WT/CU	
Ancestral™ WallStone <small>[Alignment System]</small>	3" high set	3"	16/14"	10"	.83 sf/set 1.2 sets/sf	85/set	30 sets/cu	25	2600 lb	
		3"	14/12"	10"						
		3"	12/10"	10"						
	6" high set	6"	16/14"	10"	1.66 sf/set .6 sets/sf	164/set	15 sets/cu	25	2500 lb	
		6"	14/12"	10"						
		6"	12/10"	10"						
Fat Face™	Standard Unit	8"	18"	11.25"	1	80	45	45	3625 lb	
	Corner Unit	8"	15"	6"	---	56	54	---	3050 lb	
Olde Boston™ Wall		4"	12"	8"	3.1	31	108	34.8	3400 lb	
Roman Pisa®	Stretcher	6"	8"	12"	3	43	80	26.7	3475 lb	
	Stretcher Tapered Cap	6"	8"	12"	1.5/lf (3/sf)	43	80	53.3 lf/ 26.7sf	3475 lb	
	Half Unit	6"	4"	12"	6	22	120	20	2650 lb	
	Corner Unit (Reversible)	6"	8"	12"	---	35	80	---	2800 lb	
	Jumbo Unit	6"	12"	8"	2	35	80	40	2850 lb	



Pavers by Ideal® - Coping

COPING	H	W	D	LF/PC	WT/PC	PCS/CU	LF	WT/CU	
Ancestral™ Coping Paired set	3.63"	16/13"	13"	2.16 lf/pr	98/pr	36 pairs	77.8	3550 lb	
	3.63"	13/10"	13"						
Universal Coping Stone	3.63"	16"	13"	1.33	60	63	84	3800 lb	
CastStone™ RockFace Coping*	3"	48"	24"	4	299	6	24	1825 lb	
	3"	24"	14"	2	97	24	48	2350 lb	
BullNose Coping™	6cm	4"	12"	3 pcs/lf	9	156	52	1375 lb	







Pavers by Ideal® - Steps with Style™

STEP	STYLE	RISE	SIZE	WT/PC	PCS	WT/PALLET	
Chelmsford™ Step	---	7"	48" l x 15" d	468	8	3775 lb	
Rockport™ Step Collection	Step A	7"	42" l x 18" d	346	8	2800 lb	
	Step C	7"	48" l x 18" d	508	8	4100 lb	
	Step D	7"	54" l x 24" d	565	8	4550 lb	
	Step F	7"	60" l x 18" d	596	8	4800 lb	
Rockport™ Pathway Stones* <small>*sold as a set consisting of all 3 sizes</small>	RPS A	2 3/4"	35 3/4" l x 18 1/8" d	100	5 sets (3 ea)	1825 lb	
	RPS B	2 3/4"	34" l x 21 7/8" d	140			
	RPS C	2 3/4"	30 3/4" l x 22 1/4" d	120			

Pavers by Ideal® - Edging & Caps





GARDEN PRODUCTS	H	W	D	COVERAGE	WT/PC	PCS/CU	SF/CU	WT/CU	
CurbStone™ Edging	8"	12"	4"	1/lf	25	90	90 lf	2300 lb	
Carlisle™ Pillar Cap	3"	24"	24"	---	157	12	---	1925 lb	

Pavers by Ideal® - Fire Pits & Accessories

FIRE PITS & ACCESSORIES		H	W	D	COVERAGE	WT/PC	PCS/CU	SF/CU	WT/CU	
ScapeStone™ Fire Pit Block	FP	4"	12"	6"	11/course	22	110	10 rows	2475 lb	
	FP - XL	4"	12 3/8"	6 1/4"	14/course	24	126	10 rows	3075 lb	
Ring-n-Grate		8"	---	30"	Grates 500 sq in.	67	---	---	---	
Round Ring w/out Grate	FP	8"	---	30"	---	34	---	---	---	
	FP—XL	8"	---	44"	---	50	---	---	---	
Square Ring without Grate *Bolt together frame		8"	28"	28"	---	35	---	---	---	
CastStone™ Square Fire Pit Coping		3"	10"	38.5"	4 pcs/set	108	12	3 sets/cu	1325 lb	
CastStone™ Round Fire Pit Coping	FP	3"	7"	44.5" o.d.	3 pcs/set	65	12	4 sets/ cu	810 lb	
	FP-XL	3"	7 1.2"	60" o.d.	4 pcs/set	83	8	2 sets/ cu	700 lb	

The CastStone™ Round and Square Fire Pit Coping, and RockFace Wall Coping should be handled with care during transport and assembly. Adequate manpower is required to lift and set in place.

Pavers by Ideal® - King of Hearths

FIREPLACE	H	W	D	FIRE BOX OPENING	PCS/UNIT	OUTSIDE SURFACE	OUTSIDE CORNER	WT	
King Arthur	88 3/4"	46 3/4"	27"	36" x 37"	3	63 sf	36 lf	2100 lb	
Guinevere	80 1/2"	38"	27"	28" x 28"	2	46 sf	28 lf	1700 lb	
Lancelot Oven	48"	35 1/4"	57 1/4"	13" x 24"	1	26-30 sf	18 lf	2000 lb	
Reversible Side Storage Box	36"	26"	26"	---	1	---	---	250 lb	

Note: Fireplaces and oven must be veneered and require a spark arrestor with a solid top (not included).

Pavers by Ideal® - Product Accessories

SEK SUREBOND
SnapEdge Paver Edging,
Polymeric Sand, Resin
Joint Sand, Adhesives,
Cleaners & Sealers

WARMING TRENDS
Fire Pit Burners

GST Global Sealer Technologies
Paver & Stone Cleaner,
Sealer, Elephant Armor

NOVO
THE NEW AMERICAN BACKYARD
Premium Outdoor Grills
& Appliances

Uniframe Systems
FULL ADVANTAGE OUTDOOR KITCHEN FRAMES
Adjustable Outdoor
Kitchen Frame Sets

Primo CERAMIC GRILLS
Premium Outdoor Grills
& Smokers

ProLine
RADIANT HEAT SOLUTIONS
Radiant Heat Solutions

SRW PRODUCTS
Geogrid & Fabric

Pavers by Ideal® - Concrete Block & Brick

CONCRETE BLOCK & BRICK	D	H	W	PCS/SF	WT/PC	PCS/CU	SF/CU	WT/CU
4" x 8" x 16" Cored	3 5/8"	7 5/8"	15 5/8"	1.125	26	120	106.67	3075 lb
4" x 8" x 16" Solid	3 5/8"	7 5/8"	15 5/8"	1.125	35	120	106.67	4175 lb
6" x 8" x 16" Cored	5 5/8"	7 5/8"	15 5/8"	1.125	30	96	85.33	2875 lb
6" x 8" x 16" Solid	5 5/8"	7 5/8"	15 5/8"	1.125	53	72	64	3825 lb
8" x 8" x 16" Cored	7 5/8"	7 5/8"	15 5/8"	1.125	39	72	64	2800 lb
8" x 8" x 8" Half Cored	7 5/8"	7 5/8"	7 5/8"	2.25	23	120	53.33	2800 lb
8" x 8" x 16" Solid	7 5/8"	7 5/8"	15 5/8"	1.125	73	48	42.67	3500 lb
10" x 8" x 16" Cored	9 5/8"	7 5/8"	15 5/8"	1.125	50	48	42.67	2400 lb
12" x 8" x 16" Cored	11 5/8"	7 5/8"	15 5/8"	1.125	55	48	42.67	2625 lb
12" x 8" x 8" Half Cored	11 5/8"	7 5/8"	7 5/8"	2.25	33	88	39.11	2900 lb
1 5/8" x 8" x 16" Patio Block	7 5/8"	1 5/8"	15 5/8"	---	16	240	---	3900 lb
4" x 8" Ideal Natural Brick	3 5/8"	2 1/4"	7 5/8"	7 (laid vertically)	5	540	77.14	2700 lb

All concrete masonry units are produced in a "natural" concrete color.

Pavers by Ideal® - Color Availability

PAVERS	GB	BHB	QB	VB	P	CB	OG	MINERAL BLUE
Andover Collection™ Smooth & StoneCleft						◆	◆	
Andover Collection™ GrandStone Smooth							◆	
Andover 5511™ Smooth	◆					◆	◆	
Andover 5511™ StoneCleft	◆						◆	
Aqua-Bric®		◆	◆	◆				
Aqua-Bric® 8								
Boston Colonial Pavers®	6cm	◆	◆	◆				
	8cm							
BrookStone™	◆		◆	◆				
Georgetown Colonial™		◆	◆	◆				
MillStone™			◆	◆				
Portsmouth Cobble™	◆						◆	
Town N' Country™ Square (Non-Tumbled)	◆							
Turfstone™					◆			
Yankee Cobble™	Square	◆	◆	◆	◆			
	Large Rectangle	◆	◆	◆	◆			
	Grand Square			◆	◆			
	Circle Pak	◆		◆	◆			
Windsor Slab™								◆
WALLS & COPING	P	GB	VB	QB	SLATE GREY			
Ancestral™ WallStone		◆ 3" Only	◆	◆				
Fat Face™			◆	◆				
Olde Boston™ Wall	◆	◆	◆	◆				
Roman Pisa®			◆	◆				
Ancestral™ Coping		◆	◆	◆				
Universal Coping Stone		◆	◆	◆				
CastStone™ Rockface Coping		◆			◆			
BullNose Coping™		◆		◆				
GARDEN PRODUCTS/OUTDOOR LIVING	VB	QB	GB	SLATE GREY				
CurbStone Edging	◆	◆						
ScapeStone™ Fire Pit Block (FP & FP-XL)	◆	◆						
Carlisle™ Pillar Caps			◆	◆				
CastStone Fire Pit Coping (FP, FP-XL & Square)			Square & ScapeStone FP ◆	◆				
STEPS	SLATE GREY	FIELDSTONE BLEND						
Chelmsford™ Step	◆							
Rockport™ Step		◆						
Rockport™ Pathway Stones		◆						

GB = Graphite Black BHB = Beacon Hill Blend QB = Quarry Blend VB = Vineyard Blend P = Pewter

CB = Chatham Blend OG = Oxford Grey → **NEW Enhanced Color Blending**

Regularly Produced Made to Order - Call for lead time Not Available

Weight per cube is approximate and includes the pallet • 1: Andover Collection is sold by the set • 2: BrookStone, Portsmouth Cobble, and Aqua-Bric® 8 are sold by the layer •

3: Yankee Cobble Circle Paks are sold by the pallet • 4: Can be used in traditional or permeable applications • 5: Item is manufactured Made to Order Only. Please contact us or your local Ideal dealer for information on availability and pricing.

Andover Collection, Grandstone, 5511's, Portsmouth Cobble and Windsor Slab are ONLY available with:



Important: Please contact your local Ideal Dealer or our Order Center for product lead time and availability.